

BENETEAU SWIFT TRAWLER 48

BENETEAU SWIFT TRAWLER 48 / USED / 2023 / TURKEY

1 180 000 € (ex. VAT)



OVERVIEW

LENGTH

14.74 m

CABINS

3

LOCATION

Turkey

HIGHLIGHTS

- Built 2023, ~135 engine hours
- Twin Cummins diesels, up to 20 knots
- Semi-displacement hull, long range
- Three cabins including master
- Flybridge with second helm
- Long-range cruising trawler

SPECIFICATIONS

LOCATION	CATEGORY
Turkey	Brokerage
MODEL	CONDITION
Beneteau Swift Trawler 48	Used
STATUS	YEAR
Available	2023
LENGTH	BEAM
14.74 m	4.50 m
DRAFT	HULL MATERIAL
1.15 m	GRP
CABINS	ENGINES
3	CUMMINS 760 hp
LENGTH OVERALL	ENGINE HOURS
14.74 m	135 h

DESCRIPTION

The Beneteau Swift Trawler 48 is a trawler-type motor yacht from Beneteau, designed for comfortable long-range travel and family cruising. She is powered by twin Cummins diesel engines and reaches up to 20 knots with a long range between refuellings. A semi-displacement hull ensures a smooth, safe ride even in demanding sea conditions. On board there are three cabins including a master, a spacious saloon with panoramic windows and a galley. The flybridge, with a seating area and a second helm station, significantly expands the space and comfort on board. Note: price quoted in Sochi/Novorossiysk including customs duties.

EQUIPMENT

- Composition: Polyester resin, infusion – fiberglass.
 - Color: White gelcoat 9010
 - Composition: Sandwich (polyester resin, infusion - fiberglass / balsa wood)
 - Coating: Non-slip coating type "diamond pattern"
 - Deck: Teak, black seams
 - Helmsman's seat: Anthracite
 - Wide passage from the stern to the bow along the starboard side.
- Profile: Semi-planing hull
 - Internal structure of the hull: Monolithic laminate (polyester resin, infusion - fiberglass)
 - Structural internal framework: Monolithic laminate (polyester resin - fiberglass)
 - Wood finishing: Alpi teak
 - Interior upholstery: PVC Marlin Brilliant White
 - Exterior upholstery: PVC Marlin Brilliant White
 - Wide door from the helm station to the starboard side deck.

- Gate from the starboard side deck to the pier.
- Electric vertical windlass 2000 W with up/down control and remote operation from the windlass, wheelhouse, and flybridge
- Stainless steel fendering
- Complete mooring kit:
- Stainless steel handrails, upholstered in leather, in the cockpit
- Hydraulic gangway (retractable length 2.72 m)
- Cockpit canopy
- Shower in the cockpit with hot/cold water
- Swim platform with stringer and natural teak grates
- 1 access door made of plexiglass to the deck on the starboard side from the cockpit
- Removable swimming ladder on the port side
- Flybridge closure kit
- Retractable stainless steel ladder with double access ramp to the flybridge with teak steps
- Access through hatch
- Central steering console
- Stainless steel steering wheel
- Hydraulic steering
- 1 adjustable helm seat and 3 second pilot seats with reclining backs
- Stainless steel sink with hot/cold water mixer
- Kenyon 2356 electric grill
- 6-person liferaft
- Insect screens on all portholes throughout the boat
- Ceiling height: 1.97 m
- Divider rail and curtains for sleeping area
- Dining table made of lacquered wood with adjustable height
- Double bow roller made of stainless steel
- 10 aluminum mooring cleats (length 400 mm)
- 2 lockers with drain valves and polyester lids
- Stainless steel bow railing, open and surrounding the cockpit up to the steps
- Hydraulic swimming platform, load capacity 350 kg, tender attachment
- Self-draining cockpit
- 2 storage compartments in the cockpit floor
- Double access door to the cockpit on the port side
- Ergonomic swimming ladder with handrails on the swim platform
- Teak in the cockpit and on the deck of the starboard side
- Flybridge hardtop with fiberglass mast for mounting navigation lights, radar, and antennas
- Self-draining flybridge
- Tinted grey plexiglass windscreen
- Stainless steel railing surrounding the aft of the flybridge
- Control panel, including:
- Magnetic compass
- USB port
- Lounge on the flybridge, consisting of 1 L-shaped sofa with built-in storage and a folding teak table
- 40 l refrigerator
- Double waste bin
- 10 cup holders
- Diving compressor
- Lifted U-shaped table, convertible into a double bed (2.4 x 1.32 m) with electric base
- Roman blinds with opening window
- Cupboard with wine cooler

- Sliding door at the stern with 3 panels featuring a black lacquered aluminum frame, equipped with a mosquito net
- L-shaped galley
- Corian countertop
- Drinking water tap
- Dishwasher for 6 place settings (Electrolux ESL2500RO)
- Upper cabinets
- Storage space, cabinets and drawers
- 220 V sockets
- Anti-glare coating
- Windshield washer
- Side windows with black lacquered aluminum frames
- Engine readings: tachometer, fuel level gauge, warnings, steering angle indicator, flap indicators
- Steering wheel
- Helm seat with foldable bolster, fully adjustable foot support with foldable footrest
- Ceiling height: 1.96 m
- Storage space under the bed
- Large mirror
- 1 cabinet with shelves
- 2 portholes with opening ports and blackout curtains
- Separate shower cabin with seat and porthole
- Mirror
- Electric toilet with seawater flush
- 1 porthole
- 2 single beds (1.98 x 0.7 m) with infill cushions to make a double bed
- Nightstand
- Cupboards
- Stainless steel handrail upholstered in leather, on the cockpit ceiling lining
- Full-size fridge/freezer 255 l (Fridge & Freezer VITRIFRIGO C270 DP 3C "BNT")
- Large stainless steel sink with hot/cold water mixer
- Electric microwave oven (Asko OCM8487S)•Cooktop - 3-burner induction stove
- Icemaker (Indel Webasto White)
- Cutlery drawer
- Double trash bin
- Windshield made of clear glass with black lacquered aluminum frames
- 3 synchronized wipers
- Windshield heating system
- Dashboard with space for navigation electronics
- Control: electric windlass, bow thruster, navigation lights, electric wipers, electronic control for two engines
- Cup holder
- Sliding side door with direct access to the side deck, equipped with a mosquito net
- Double bed (1.99 x 1.60 m)
- Storage space on both sides of the bed
- 1 hanging cabinet with lighting
- 1 opening deck hatch with mosquito net/shade
- Ceiling Height: 1.96 m
- Deck hatch with mosquito net/curtain
- Upper and lower cabinet
- Oval sink
- Ceiling height: 1.92 m
- Door to the day head
- Wardrobe
- Storage under the bed

- 3 shelves
- Ceiling height: 2.01 m
- Nighstand
- Combined washer/dryer (Samsung)
- Electric toilet with sea water flushing
- Shaft line
- Cummins QSB 6.7 I engines 2 x 425 HP (approximately 600 hours of operation)
- Fuel filters
- Engine room sound insulation with high-density foam (40 mm thickness)
- 1 fire extinguisher
- 2 aluminum fuel tanks (capacity = 2 x 965 l), interconnected and prepared for FPS system connection (fuel cleaning system)
- Spare parts for engines (fuel filters, oil filters, anodes, impellers, belts, etc.)
- Shore power socket (220 V)
- 12 sockets 220 V: 2 in the salon, 2 in the galley, 2 in the owner's cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner's head, 1 in the 2nd head, + 2 for the television (salon + owner's cabin)
- 2 double antenna sockets (TNT - SAT)
- 4 engine starting batteries 12 V 50 Ah
- 2 chargers 25 Ah
- Inverter 2 kVA
- LED indirect lighting
- 4 spotlights: 2 at the bow and 2 at the stern with a control unit located at the main helm and on the flybridge
- 2 automatic electric bilge pumps
- 40 l water heater powered by the engine heat exchanger and 220 V
- 2 molded Roto water tanks (2 x 320 l)
- Advanced deck wash system allowing the use of seawater as well as tank water: Through valve for seawater intake
- Side porthole with opening port and blackout curtain
- Double bed (1.94 x 1.40 m)
- Opening side portholes with curtains
- Ceiling height: 1.93 m
- Deck hatch with mosquito nets
- Four-blade propellers
- Cummins joystick (engines and bow thruster) - installed at the main control station, on the flybridge and in the cockpit
- Sea water filters
- Air intake for engine compartment cooling on the port side hull
- Two fuel tank filling ports
- Automatic fire suppression system
- Electrical panel (12 V / 220 V)
- Generator 7.5 kW (MASE IS 9.6B)
- 12 USB sockets: 2 in the salon, 2 at the helm, 4 in the owner's cabin, 2 in the VIP cabin, 2 in the 3rd cabin
- 4 service batteries 12 V 140 Ah + 3 service batteries 12 V 90 Ah
- 4 bow thruster batteries 12 V 50 Ah
- 1 socket 12 V
- Outdoor and indoor lighting (ceiling lights, reading lights)
- Outdoor lighting (navigation lights, anchor light with stainless steel mounts)
- 1 manual bilge pump (cockpit)
- Pump with a hydrophore
- Filling neck for water tank
- Drain outlet for black water tank
- Three-way valve for selecting the water source (off/seawater/tank water)

- Separate pump for deck washing and hydro accumulator
- Two outlets for deck washing (1 in the cockpit and 1 on the starboard deck)
- Water maker 60 l/hour
- Separate pump and accumulator
- Connection to ice maker through additional filter + additional ventilation for black water tank
- 1 sensor for gray water tank
- 1 drinking water tank sensor
- 2 Raymarine AXIOM PLUS 12-12" multifunction displays - on the flybridge
- 1 Raymarine Ray90 VHF radio, installed at the main control station, with a wireless handset located on the flybridge
- 1 Raymarine QUANTUM 2 Doppler radar
- 1 thermal imaging camera (FLIR M332) with a control unit JCU installed at the main control station
- 1 Simrad HC60 satellite compass
- 3 rear and side cameras Raymarine CAM220IP
- 2 river radio stations NavCom CPC-300, installed at the main control station and on the flybridge
- Central heating system based on Eberpacher Hydronic M-II (12 kW) with separate zonal control:
- Intelligent technology "SEANAPPS":
- AMS web server (vessel management)
- APOLLO RA670 stereo system
- Apple TV
- 2 FM-F77RW speakers
- 1 MS-AM402 amplifier
- 1 SG-S10CW subwoofer
- 1 ERX400 remote control unit
- Access to seawater in the galley (seawater source additionally connected to the galley mixer)
- Shore freshwater supply system (when onshore allows connecting the yacht to the shore water supply system instead of using water from tanks)
- Extended drinking water supply system consisting of: Separate tank (45 l) with filling neck
- Galley faucet
- 5 additional level sensors: 1 sensor for black water tank
- 2 freshwater tank sensors
- 2 Raymarine AXIOM PRO 12-12" multifunction displays - at the main control station
- Raymarine ACU400 autopilot with 2 Raymarine p70Rs displays, installed at the main control station and on the flybridge
- 1 Class B AIS transponder Raymarine AIS700
- 1 Raymarine AR200 augmented reality system
- 1 Raymarine EV-1 9-axis sensor tracking the vessel's motion in all three dimensions
- 1 Raymarine CAM210IP forward camera
- 1 loudspeaker
- 1 set of light impulse signal lights with control at the main control station and on the flybridge
- Air conditioning package (48,000 BTU) Mediterranean & Tropical based on Webasto, integrated into the vessel's control system:
- Type of collected information (GPS position, batteries, engine data, navigation data, etc.)
- Extended audio system based on FUSION
- SAMSUNG 43" SMART TV
- HDMI output for connecting a laptop or other HDMI video source
- 1 FM-S10SW subwoofer
- 1 ARX remote control unit (installed on the steering wheel for quick access to the stereo system functions)
- 1 SG-DA41400 amplifier
- 2 XS-F77CW speakers

- 1 subwoofer SG-S10CWB
- 1 remote control unit ERX400
- 2 speakers FM-F77RW
- •Digital TV antenna unit, installed on the mast
- Kroks Rt-Cse DM e6 router with two built-in LTE cat.6 modems
- 1 amplifier SG-DA41400
- Stereosystem APOLLO RA670, installed in the owner's cabin:
ZONE 1: OWNER'S CABIN
- TV and video sources:
- SMART TV SAMSUNG 24"
- Wi-Fi throughout the yacht

GALLERY









CRYSTAL YACHTS GEORGIA

PHONE

+995-593244242

EMAIL

info@crystal-yachts.com

ADDRESS

Georgia, Batumi, Gogebashvili 18